

FIG.1




FIG.2




FIG.3

	TRANSMISSION INFORMATION FORMAT	TRANSMISSION DESTINATION	CONNECTION DESTINATION
USER A	e-mail	aaa@mail.com	INTERNET
USER B	FAX	0123-45-6789	PUBLIC NETWORK
USER C	CELLULAR TELEPHONE	090-1234-5678	PUBLIC NETWORK
⋮	⋮	⋮	⋮

FIG.4




FIG.5




FIG.6




FIG. 7




FIG.8

```
<HTML>
<HEAD><TITLE>sample</TITLE></HEAD>
<BODY>
<CENTER>
```



```
<IMG SRC="sample.gif"><br><br>
```


|
 |

△△△△△△△△△△

XXXXXXXXXXXXXXXXXXXX

○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○

[illegible][illegible]

○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○

	</table>
--	----------

| | |
 |

△△△△△△△△△△

○○○○○○○○○○○○○○○○○○○

[illegible][illegible]

○○○○○○○○○○○○○○○○○○○○○

</BODY>

</HTML>

FIG. 9




FIG.10

340

<HEAD>

<SCRIPT LANGUAGE="JavaScript">

var sample_dataconv_cgi = "http://sample.com/cgi-bin/func.cgi"

```
function sample_showbutton(btn) {
    btn.style.display = " "
}
```

342

```
function sample_hidebutton(btn) {
    btn.style.display = "none"
}
```

344

```
function sample_showrange(prg) {
    prg.style.backgroundColor = "LightGoldenrodYellow"
}
```

346

```
function sample_hiderange(prg) {
    prg.style.backgroundColor = " "
}
```

348

```
function sample_getcontent(prg) {
    var str = escape(prg.innerText);
    location =
    sample_dataconv_cgi+"?DATA="+str+"&USR=chiba&BRW=pc&URL=http://
    tokkyo/tokkyo.htm";
}
```

350

</SCRIPT>

<STYLE TYPE="text/css">

```
SPAN.paragraph{ }
SPAN.funcpupbtn{ position:absolute; z-index:9999 }
```

</STYLE>

352

<TITLE>sample</TITLE></HEAD>

FIG.12

	TRANSMISSION INFORMATION FORMAT	TRANSMISSION DESTINATION	CONNECTION DESTINATION
USER A	e-mail	aaa@mail.com	INTERNET
	FAX	0123-45-6789	PUBLIC NETWORK
USER B	e-mail	bbb@mail.com	INTERNET
	FAX	0987-65-4321	PUBLIC NETWORK
USER C	CELLULAR TELEPHONE	090-1234-5678	PUBLIC NETWORK
	e-mail	ccc@mail.com	INTERNET
⋮	⋮	⋮	⋮

FIG. 13




FIG.14




FIG. 15




FIG. 16

500

<HEAD>

<SCRIPT LANGUAGE="JavaScript">

var sample_mailconv_cgi = "http://sample.com/cgi-bin/mail.cgi";

var sample_faxconv_cgi = "http://sample.com/cgi-bin/fax.cgi";

502

function sample_showbutton(btn,btnimg) {

var idx = document.select.func.selectedIndex;

var val = document.select.func.options[idx].value;

504

if(val == "mail"){

btnimg.src = "mail.gif";

}

else if(val == "fax"){

btnimg.src = "fax.gif";

}

506

btn.style.display = " ";

508

function sample_hidebutton(btn) {

btn.style.display = "none";

}

510

function sample_showrange(prg) {

prg.style.backgroundColor = "LightGoldenrodYellow";

}

512

function sample_hiderange(prg) {

prg.style.backgroundColor = " ";

}

514

function sample_getcontent(prg) {

var idx = document.select.func.selectedIndex;

var val = document.select.func.options[idx].value;

518

var str = escape(prg.innerText);

if(val == "mail"){

location =

sample_mailconv_cgi+"?DATA="+str+"&USR=chiba&BRW=pc&URL=http://tokkyo/tokkyo.htm";

}

516

else if(val == "fax"){

location =

sample_faxconv_cgi+"?DATA="+str+"&USR=chiba&BRW=pc&URL=http://tokkyo/tokkyo.htm";

}

520

}

</SCRIPT>

522

<STYLE TYPE="text/css">

SPAN.paragraph{ }

SPAN.funcpupbtn{ position:absolute; z-index:9999 }

</STYLE>

<TITLE>sample</TITLE></HEAD>

FIG. 17

530

```

<BODY>
<FORM NAME="select">
  <SELECT NAME="func">
    <OPTION VALUE="mail">mail
    <OPTION VALUE="fax">fax
  </SELECT>
</FORM>
<CENTER>

<br>
<IMG SRC="sample.gif"><br><br>
<br>

<table>
<tr>
<td>
  <SPAN id="prg0" class="paragraph"
    onmouseover="sample_showbutton(btn0,btnimg0)"
    onmouseout="sample_hidebutton(btn0)">
  <SPAN id="btn0" class="funcpupbtn" STYLE="display:none"
    onmouseover="sample_showrange(prg0)"
    onmouseout="sample_hiderange(prg0)"
    onmouseup="sample_getcontent(prg0)">
  <IMG src="mail.gif" name="btnimg0">
  </SPAN>
  ΔΔΔΔΔΔΔΔΔΔ <br>
  ○○○○○○○○○○○○○○○○○○○○○○○○○○○○○ <br>
  ○○○○○○○○○○○○○○○○○○○○○○○○○○○○○ <br>
  ○○○○○○○○○○○○○○○○○○○○○○○○○○○○○ <br>
  ○○○○○○○○○○○○○○○○○○○○○○○○○○○○○ <br>
</SPAN>

</td>
</tr>
</table>
<br>

<table>
<tr>
<td>
  <SPAN id="prg1" class="paragraph"
    onmouseover="sample_showbutton(btn1,btnimg1)"
    onmouseout="sample_hidebutton(btn1)">
  <SPAN id="btn1" class="funcpupbtn" STYLE="display:none"
    onmouseover="sample_showrange(prg1)"
    onmouseout="sample_hiderange(prg1)"
    onmouseup="sample_getcontent(prg1)">
  <IMG src="mail.gif" name="btnimg1">
  </SPAN>
  ΔΔΔΔΔΔΔΔΔΔ <br>
  ○○○○○○○○○○○○○○○○○○○○○○○○○○○○○ <br>
  ○○○○○○○○○○○○○○○○○○○○○○○○○○○○○ <br>
  ○○○○○○○○○○○○○○○○○○○○○○○○○○○○○ <br>
  ○○○○○○○○○○○○○○○○○○○○○○○○○○○○○ <br>
</SPAN>

</td>
</tr>
</table>
<br>
</BODY>

```

FIG.18

